



New

Digital LED  
Instrument Cluster



REAL-TIME  
MILEAGE



DISTANCE  
TO EMPTY



AVERAGE  
MILEAGE

Live Life  
Livo Style



New

Attractive  
Graphics



# CUTTING EDGE TECHNOLOGY



# CUTTING EDGE TECHNOLOGY



**eSP TECHNOLOGY (OBD2B Compliant Engine)**  
Honda's Enhanced Smart Power (eSP) technology maximizes performance and fuel-efficiency by reducing friction. Honda Livo powered by amazing **eSP Technology** with an eco-friendly BS-VI OBD2B compliant engine that keeps emissions in check.

## PGM-FI

PGM-FI system with sensors constantly injects optimum fuel and air mixture resulting in efficient combustion that aids in consistent power output and higher mileage.

**PGM-FI**  
FUEL INJECTION




## SILENT START WITH ACG

Honda's unique ACG starter motor removes gear meshing noise and helps start the engine without a jolt.

## FRICTION REDUCTION

The piston cooling jet reduces friction and maintains optimum engine temperature. The offset cylinder and rocker roller arm further reduces the frictional losses in the engine.



# URBAN STYLE



# URBAN STYLE



## DIGITAL INSTRUMENT CLUSTER

Get all the ride information in style with precision. Always stay updated with the full digital meter which displays real-time mileage, average mileage, distance to empty, service due indicator, gear position indicator & eco indicator.



## MUSCULAR TANK WITH ATTRACTIVE GRAPHICS

A definite head-turner, the muscular fuel tank design with edgy graphics makes it very appealing.

## EDGY FRONT LOOK

Always arrive in style with the unique combination of a muscular shroud, chiseled visor, sharp headlight, and detailed air duct design.



## STRONG REAR APPEARANCE

Leave a strong impression with an excitingly designed tail-lamp and grab rail.



## WHEEL STRIP

Graphic coloured Wheel Strip.



# COMFORT AND CONVENIENCE



## DC HEADLAMP

The DC Headlamp gives consistent illumination while riding irrespective of the speed and riding conditions.

## INTEGRATED ENGINE START/STOP SWITCH

Start and stop your bike with just the flick of a switch anytime anywhere. Enjoy enhanced convenience.



# COMFORT AND CONVENIENCE



## 5-STEP ADJUSTABLE REAR SUSPENSION

Make your ride comfortable with 5-Step Adjustable Rear Suspension on all road conditions.

## 3 + 7 YEARS WARRANTY PACKAGE

Complete peace of mind with 10 years warranty package, comprising 3 years standard and 7 years optional service warranty.



## SERVICE DUE INDICATOR

Want to keep your Livo in the best condition all the time? No problem. Service due indicator on the meter console will give a reminder, even if you forget.

## LONG AND COMFORTABLE SEAT

Makes every ride comfortable for the rider and pillion, despite the conditions of the road.



## SIDE STAND ENGINE CUT OFF

Adds to the safety of the rider, it cuts off the ignition if the vehicle is put in gear when the side stand is engaged.

# TECHNICAL SPECIFICATIONS+

| BODY DIMENSIONS           |                                 |
|---------------------------|---------------------------------|
| Length                    | 2020 mm                         |
| Width                     | Drum - 742 mm, Disc - 751 mm    |
| Height                    | 1116 mm                         |
| Wheel Base                | 1278 mm                         |
| Ground Clearance          | 163 mm                          |
| Kerb Weight               | 112 kg                          |
| Seat Length               | 657 mm                          |
| Seat Height               | 790 mm                          |
| Fuel Tank Capacity        | 9 L                             |
| ENGINE                    |                                 |
| Type                      | Air Cooled, 4 Stroke, SI Engine |
| Displacement              | 109.51 cc                       |
| Max Engine Output         | 6.47 KW @ 7500 rpm              |
| Max Torque                | 9.30 N-m @ 5500 rpm             |
| Fuel System               | PGM-FI                          |
| Bore x Stroke (mm)        | 47 x 63.121                     |
| Compression Ratio         | 10.1:1                          |
| Starting Method           | Self/Kick                       |
| TRANSMISSION              |                                 |
| Clutch Type               | Multiplate Wet Clutch           |
| No. of Gears              | 4 Gear                          |
| TYRES & BRAKES            |                                 |
| Tyre Size & Type (Front)  | 80/100-18 M/C 47P, Tubeless     |
| Tyre Size & Type (Rear)   | 80/100-18 M/C 54P, Tubeless     |
| Brake Type & Size (Front) | Disc - 240 mm, Drum - 130 mm    |
| Brake Type & Size (Rear)  | Drum - 130 mm                   |
| FRAME & SUSPENSION        |                                 |
| Frame Type                | Diamond Type                    |
| Front Suspension          | Telescopic                      |
| Rear Suspension           | Hydraulic Type                  |
| ELECTRICALS               |                                 |
| Battery                   | 12V, 4Ah                        |
| Headlamp                  | Halogen Bulb, DC                |

•\*The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • New Livo meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment • All features may not be part of all variants. ^Instant online booking facility available at selected Dealership only.

# AVAILABLE COLOURS



**PEARL IGNEOUS BLACK**  
(Pearl Igneous Black Shroud + Orange Stripes)



**PEARL IGNEOUS BLACK**  
(Geny Gray Shroud + Blue Stripes)



**PEARL SIREN BLUE A**  
(Geny Gray Shroud + Green Stripes)

Follow us on:

Facebook: <https://www.facebook.com/honda2wheelers.in>

Instagram: <https://www.instagram.com/honda2wheelerin/>

Youtube: <https://www.youtube.com/@honda2wheelersin>

X: <https://x.com/honda2wheelerin>

**Honda Motorcycle and Scooter India Pvt. Ltd.,**  
**Registered Office:** Plot No. 1, Sector - 03, IMT Manesar,  
Distt. Gurugram, (Haryana) – 122050 (Haryana), India  
**Visit us at:** [www.honda2wheelersindia.com](http://www.honda2wheelersindia.com)  
**Customer Care:** [customercare@honda.hmsi.in](mailto:customercare@honda.hmsi.in)

**Das Honda**  
Tahasil Road, Kachery Bazar  
Bhadrak  
Tel: Reception: 9583819192  
Mob: Service: 7077344695